

# Ladder Weights & Specifications

## STANDARD LADDERS (12" rung)

Size	Part Number*	Weight	Folded Dimensions	Open Dimensions
6 foot (1.83m)	QSB006	16 lbs (7.3 kg)	23.5 x 13 x 1.8 in (59.7 x 33 x 14.6 cm)	15 x 3.25 x 72 in (38 x 8.3 x 183 cm)
8 foot (2.44m)	QSB008	21 lbs (9.5 kg)	23.5 x 13 x 2.3 in (59.7 x 33 x 5.8 cm)	15 x 3.25 x 96 in (38 x 8.3 x 244 cm)
10 foot (3.05m)	QSB010	26 lbs (11.8 kg)	23.5 x 13 x 2.9 in (59.7 x 33 x 7.4 cm)	15 x 3.25 x 120 in (38 x 8.3 x 305 cm)
12 foot (3.66m)	QSB012	31 lbs (14.1 kg)	23.5 x 13 x 3.5 in (59.7 x 33 x 8.9 cm)	15 x 3.25 x 144 in (38 x 8.3 x 366 cm)

## ASSAULT LADDERS (18" rung)

Size	Part Number*	Weight	Folded Dimensions	Open Dimensions
6 foot (1.83m)	QAB006	17 lbs (7.7 kg)	29.5 x 13 x 1.8 in (74.9 x 33 x 4.6 cm)	21 x 3.25 x 72 in (53 x 8.3 x 183 cm)
8 foot (2.44m)	QAB008	22.5 lbs (10.2 kg)	29.5 x 13 x 2.3 in (74.9 x 33 x 5.8 cm)	21 x 3.25 x 96 in (53 x 8.3 x 244 cm)

\*For unpainted aluminum ladders, replace the "B" with an "R".

QUIKSTEP™ ladders can also be special ordered in 6-inch rung width.

## Testing

The QUIKSTEP™ ladder has been independently tested to meet all weight and strength tests to the following standards:

Standard	Grade	Duty Rating
<b>OSHA/ANSI A14.2-2000</b>	Grade 1A (Extra Heavy Duty)	300 lbs
<b>NFPA 1931 - 1999 edition</b>	Folding ladders	300 lbs
<b>CAN-3-Z11-M81</b>	Grade 1 (Heavy Duty)	250 lbs
<b>BS 2037: 1994</b> British Standard for Portable Aluminum Ladders	Class 1 Industrial	130 kg
<b>EN131: part 2: 1993</b> "Ladders - Requirements, Testing, Marking" for Portable Ladders by the European Committee for Standardization (CEN)	Full pass on all ladders	

The Owners Manual should be consulted prior to use. The QUIKSTEP™ ladder is not to be used as a bridge (horizontal position). Only one person should be on the ladder at a time. QUIKSTEP™ ladders come with a one-year limited warranty.



**PROTECH**  
TACTICAL

Customer Service: 800-347-1200 or 909-923-7300 • [www.foldableladders.com](http://www.foldableladders.com)

*Zero to 12 feet in  
5 seconds.*



**QUIKSTEP**<sup>™</sup>  
ladder

***Seconds can save lives.***



***Fast access is essential to high-risk entry teams and patrol officers.***

The foldable QUIKSTEP™ ladder provides the ultimate in speed and portability. Law enforcement personnel will find the QUIKSTEP™ ladder strong, reliable and portable. Store it in the trunk, carry it like a briefcase or on a backpack, the QUIKSTEP™ ladder is lightweight, compact and most importantly, quick to deploy for fast access to low roofs, second-story windows and tall fences.

**QUIKSTEP™**  
ladder

# Features

## Versatile

The QUIKSTEP™ ladders come in 6-foot, 8-foot, 10-foot and 12-foot lengths with either unpainted aluminum or black powder coated finishes. Standard rung width is 12 inches. The Assault ladder features an increased rung width of 18 inches, providing greater stability



## Compact

QUIKSTEP™ is extremely compact relative to the operational length of the ladder. It folds into briefcase size for easy storage.



## Lightweight

The 12-foot QUIKSTEP™ ladder weighs only 31 pounds.



## “QUIK” to Deploy

QUIKSTEP™ can be unfolded and ready for use in less than 5 seconds.



**The QUIKSTEP™**

**Ladder System**

**improves the**

**effectiveness of**

**Law Enforcement**

**personnel.**

# Accessories

From swivel hooks to carry bags and backpacks, QUIKSTEP™ foldable ladders have a number of accessories to enhance your department's operational capabilities.

## Swivel Hooks

Placed in any of three different positions – stored, standoff and hanging – this accessory provides more versatility. Swivel hooks are constructed of 3/4 inch steel rods and weigh a total of 5 pounds. Swivel Hooks offer improved storage capabilities, additional stand-off and improved functionality.



## Backpack Harness

Leave your hands and arms free for other tasks – three quick release buckles with adjustable straps hold the QUIKSTEP™ ladder securely to the Backpack Harness and allow for rapid removal. The user does not have to remove the backpack to accomplish this.



## Shoulder Strap

The shoulder strap features two-inch, high density nylon webbing and a fully adjustable metal slider for hands free maneuverability and comfort.

## Carry Bag

Comes in black or safety orange.

# Also Available

## Web Ladder

Lightweight and strong, the web ladder offers speed, “climb ability” and is available in 15-foot and 25-foot lengths. Two widths are available – single rung and double rung. Both feature an 8-inch, semi-rigid rung which includes a 1/2 inch diameter aluminum rod sewn in to keep the rung from collapsing around the climber's foot.

